

Tree ID Number	Diameter (inches)	Exceptional/Grove	Regulated?	Exceptional Tree Removal Justified?	Number of Replacements Required by Code	Replacement Reduction per MICC 19.10.070(B)(4)?	Number of Replacements Required if Reduced	Reason for Reduction (hazardous, poor health, dead, etc.)	Total Replacement Trees Required per Tree	
510	36.5	Exceptional	Y	Y	6	N	0	Poor	6	Total Replacement Trees Required for Project
513	8	N/A	N	N/A	1	N	0	Fair/Good	1	
514	8	N/A	N	N/A	1	N	0	Fair/Good	1	
515	8	N/A	N	N/A	1	N	0	Fair/Good	1	
516	12	N/A	Y	N/A	2	N	0	Fair/Good	2	
517	18	N/A	Y	N/A	2	N	0	Fair/Good	2	
518	30	N/A	Y	N/A	3	N	0	Exc. Lean	3	36
519	36	Exceptional	Y	Y	6	N	0	Fair/Good	6	Total Trees On-Site
573	18	N/A	Y	N/A	2	N	0	Fair/Good	2	
576	15	N/A	Y	N/A	2	N	0	Fair/Good	2	
577	10	N/A	Y	N/A	2	N	0	Exc. Lean	2	
578	25	N/A	Y	N/A	3	N	0	Fair/Good	2	
599	11	N/A	Y	N/A	2	N	0	Fair/Good	2	
600	10.6	N/A	Y	N/A	2	N	0	Fair/Good	2	46
601	28	N/A	Y	N/A	3	N	0	Dead	2	
										Total Regulated Trees Removed
										12
										Percentage Retained
										73.913043