

Window, Skylight and Door Schedule

Project Information

RKK 73rd Ave
2434 73rd Ave SE
Mercer Island, WA 98040

Contact Information

Brad Sturman- Sturman Architects
9 103rd Ave NE Suite 203
Bellevue, WA 98004

	Ref.	U-factor	Width		Height		Area	UA
			Qt.	Feet	Inch	Feet		
Exempt Swinging Door (24 sq. ft. max.)							0.0	0.00
Exempt Glazed Fenestration (15 sq. ft. max.)							0.0	0.00

Vertical Fenestration (Windows and doors)

Component Description	Ref.	U-factor	Width		Height		Area	UA
			Qt.	Feet	Inch	Feet		
Multislide Door	006	0.30	1	12	0	7	84.0	25.20
French Door	015	0.30	1	6	0	7	42.0	12.60
Entry French	100	0.30	1	6	0	8	48.0	14.40
Nana Door	107	0.30	1	15	0	8	120.0	36.00
French Door	108	0.30	1	6	0	8	48.0	14.40
Sliding Door	109	0.30	1	8	0	8	64.0	19.20
Single French	110	0.30	1	3	0	8	24.0	7.20
Garage to House	112	0.30	1	3	0	8	24.0	7.20
							0.0	0.00
Casement	A	0.30	2	6	0	4	56.0	16.80
Fixed Transom	B	0.30	1	6	0	2	12.0	3.60
Fixed Assembly	C	0.30	1	4	6	2	9.0	2.70
Fixed Transom	D	0.30	1	6	0	1	9.0	2.70
Fixed	E	0.30	1	1	6	6	9.5	2.85
Casement Assembly	F	0.30	1	6	0	4	27.0	8.10
Fixed Transom Assembly	G	0.30	1	18	0	1	27.0	8.10
Fixed	H	0.30	2	3	0	4	27.0	8.10
Fixed Assembly	I	0.30	1	5	0	4	22.5	6.75
Casement	J	0.30	1	2	0	2	4.0	1.20
Casement	K	0.30	2	3	0	3	18.0	5.40
Casement	L	0.30	2	3	0	3	21.0	6.30
Casement	M	0.30	1	2	6	3	7.5	2.25
Casement Assembly	N	0.30	2	6	0	4	48.0	14.40
Fixed	O	0.30	1	3	0	4	12.0	3.60
Casement Assembly	P	0.30	1	10	0	4	45.0	13.50
Fixed Transom	Q	0.30	1	10	0	3	30.0	9.00
Casement Assembly	R	0.30	2	9	0	4	72.0	21.60
Casement	S	0.30	2	2	0	2	10.0	3.00
Fixed Transom	T	0.30	1	15	0	3	45.0	13.50
Fixed Assembly	U	0.30	1	5	0	12	60.0	18.00
							0.0	0.00
							0.0	0.00
							0.0	0.00
							0.0	0.00
							0.0	0.00

0.0	0.00
0.0	0.00
0.0	0.00
0.0	0.00
0.0	0.00
0.0	0.00
0.0	0.00
0.0	0.00

*Sum of Vertical Fenestration Area and UA
Vertical Fenestration Area Weighted U = UA/Area*

1025.5	307.65
	0.30

Overhead Glazing (Skylights)

Component Description	Ref.	U-factor

Qt.	Width		Height	
	Feet	Inch	Feet	Inch

Area	UA
0.0	0.00
0.0	0.00
0.0	0.00
0.0	0.00
0.0	0.00
0.0	0.00
0.0	0.00

*Sum of Overhead Glazing Area and UA
Overhead Glazing Area Weighted U = UA/Area*

0.0	0.00
	0.00

Total Sum of Fenestration Area and UA (for heating system sizing calculations)

1025.5	307.65
--------	--------