

Tuesday, October 22, 2024 at 10:26:20 Pacific Daylight Time

Subject: Re: Item number 2 in your corrections letter
Date: Tuesday, September 17, 2024 at 12:00:15 PM Pacific Daylight Time
From: Molly McGuire
To: Jessyca Poole
CC: Dave Williams

Hi Jessyca,

Apologies for the delayed response.

Thank you for sending this email - I did miss this document in my initial review. Please go ahead and disregard Item #2 in the review letter and provide a copy of this email as your response to the correction item for the permit center.

Sincerely,

Molly McGuire

Senior Planner
City of Mercer Island – Community Planning & Development
206-275-7712 | www.mercerisland.gov

Notice: Emails and attachments may be subject to disclosure pursuant to the Public Records Act (chapter 42.56 RCW).

The City of Mercer Island utilizes a hybrid working environment. Please see the City's [Facility and Program Information](#) page for City service hours of operation.

From: Jessyca Poole <jessyca@poolearchitecture.com>
Sent: Friday, September 13, 2024 10:30 AM
To: Molly McGuire <molly.mcguire@mercerisland.gov>
Cc: Dave Williams <dwilliams@zippergeo.com>
Subject: Item number 2 in your corrections letter

Hi Molly,

Happy Friday!

I reached out to Dave Williams, the Geotech on the project (cc'd here) about your correction item #2. He wanted to make sure you'd seen the file named 'criteriacompliancenenarrative' that summarized his review of our post design documents and compliance. If that document isn't sufficient, could you please let us know what additional information might be needed?

Thanks so much!

Jessyca